

## ATI Allegheny Ludlum Grade 4 Titanium (UNS R50700)

Category : Metal , Nonferrous Metal , Titanium Alloy , Unalloyed/Modified Titanium

**Material Notes:**

Uses: CPI equipment, industrial components, heat exchangers. Mechanical property data below is typical of annealed samples at room temperature. Information provided by Allegheny Ludlum.

Order this product through the following link:

[http://www.lookpolymers.com/polymer\\_ATI-Allegheny-Ludlum-Grade-4-Titanium-UNS-R50700.php](http://www.lookpolymers.com/polymer_ATI-Allegheny-Ludlum-Grade-4-Titanium-UNS-R50700.php)

Physical Properties	Metric	English	Comments
Density	4.52 g/cc	0.163 lb/in <sup>3</sup>	

Mechanical Properties	Metric	English	Comments
Hardness, Brinell	250	250	
Tensile Strength, Ultimate	690 MPa	100000 psi	
Tensile Strength, Yield	550 MPa @Strain 0.200 %	79800 psi @Strain 0.200 %	
Elongation at Break	23 %	23 %	

Component Elements Properties	Metric	English	Comments
Carbon, C	<= 0.10 %	<= 0.10 %	
Hydrogen, H	<= 0.015 %	<= 0.015 %	
Iron, Fe	<= 0.60 %	<= 0.60 %	
Nitrogen, N	<= 0.050 %	<= 0.050 %	
Oxygen, O	<= 0.40 %	<= 0.40 %	
Titanium, Ti	>= 98.8 %	>= 98.8 %	as balance

### Contact Songhan Plastic Technology Co.,Ltd.

Website : www.lookpolymers.com

Email : sales@lookpolymers.com

Tel : +86 021-51131842

Mobile : +86 13061808058

Skype : lookpolymers

Address : United North Road 215,Fengxian District, Shanghai City,China