

Akzo Nobel Trigonox® C Polymerization Initiator

Category: Other Engineering Material, Catalyst/Initiator, Polymer

Material Notes:

Initiator for the (co)polymerization of ethylene, styrene, acrylonitrile, vinylacetate, acrylates and methacrylates. Trigonox C is a monofunctional peroxide which is used for the crosslinking of polyolefins as well as natural rubber and synthetic rubbers. Trigonox C may also be used for the curing of unsaturated polyester, vinylester and thermoset acrylic resins at elevated temperatures Chemical Description: tert-Butyl peroxybenzoateCAS Number: 614-45-9Acronym: TBPB; Tx CInformation provided by Akzo Nobel Polymer Chemicals.

Order this product through the following link:

http://www.lookpolymers.com/polymer_Akzo-Nobel-Trigonox-C-Polymerization-Initiator.php

Physical Properties	Metric	English	Comments
One Hour Half Life Temperature	122 °C	252 °F	
Storage Temperature	10.0 - 25.0 °C	50.0 - 77.0 °F	

Contact Songhan Plastic Technology Co.,Ltd.

Website: www.lookpolymers.com Email: sales@lookpolymers.com

Tel: +86 021-51131842 Mobile: +86 13061808058

Skype: lookpolymers

Address: United North Road 215, Fengxian District, Shanghai City, China