

Aremco Ceramabind™ 880 High Temperature Inorganic Binder

Category : Ceramic

Material Notes:

High Temperature, water-dispersible silicone resin for producing corrosion and moisture resistant coatings and sealing porous ceramics.

Cures at 450 °F in one hour.

Order this product through the following link:

http://www.lookpolymers.com/polymer_Aremco-Ceramabind-880-High-Temperature-Inorganic-Binder.php

Physical Properties	Metric	English	Comments
Specific Gravity	1.04 g/cc	1.04 g/cc	
Solids Content	50 %	50 %	by weight
pH	6.5	6.5	
Viscosity	480 cP	480 cP	
Storage Temperature	7.22 - 35.0 °C	45.0 - 95.0 °F	

Thermal Properties	Metric	English	Comments
Maximum Service Temperature, Air	649 °C	1200 °F	

Processing Properties	Metric	English	Comments
Cure Time	60.0 min	1.00 hour	
	@Temperature 232 °C	@Temperature 450 °F	
Shelf Life	6.00 Month	6.00 Month	

Contact Songhan Plastic Technology Co.,Ltd.

Website : www.lookpolymers.comEmail : sales@lookpolymers.com

Tel : +86 021-51131842

Mobile : +86 13061808058

Skype : lookpolymers

Address : United North Road 215,Fengxian District, Shanghai City,China