

BASF Lupranate® 78 Isocyanate

Category : Fluid

Material Notes:

Description: Lupranate® 78 Isocyanate is a polymeric MDI with a functionality of approximately 2.3. This product exhibits excellent low temperature stability. Lupranate 78 Isocyanate will remain a liquid for several days at 0°C. Having a low functionality, low viscosity, and a high pure MDI content, Lupranate® 78 Isocyanate is suitable for applications such as elastomers, potting compounds, adhesives, sealants, carpet backing, integral skin, semi-flexible and packaging foams. Information provided by BASF

Order this product through the following link:

http://www.lookpolymers.com/polymer_BASF-Lupranate-78-Isocyanate.php

Physical Properties	Metric	English	Comments
Density	1.22 g/cc	0.0441 lb/in ³	
Viscosity	65 cP	65 cP	
Vapor Pressure	4.00e-7 bar @Temperature 25.0 °C	0.000300 torr @Temperature 77.0 °F	

Thermal Properties	Metric	English	Comments
Boiling Point	>= 190 °C @Pressure 0.000667 MPa	>= 374 °F @Pressure 0.0967 psi	
Flash Point	199 °C	390 °F	

Descriptive Properties	Value	Comments
Color	Dark Brown	
Composition	NCO content	0.32

Contact Songhan Plastic Technology Co.,Ltd.

Website : www.lookpolymers.com

Email : sales@lookpolymers.com

Tel : +86 021-51131842

Mobile : +86 13061808058

Skype : lookpolymers

Address : United North Road 215,Fengxian District, Shanghai City,China