

BASF Lupranate® 81 Isocyanate

Category : Fluid

Material Notes:

Description: Lupranate® 81 Isocyanate is a carbodiimide modified pure MDI with a higher 2,4'-isomer content and a functionality of approximately 2.1. Lupranate 81 Isocyanate exhibits good low temperature stability. It is suitable for applications such as elastomers, potting compounds, adhesives, sealants, and coatings. Information provided by BASF

Order this product through the following link:

http://www.lookpolymers.com/polymer_BASF-Lupranate-81-Isocyanate.php

Physical Properties	Metric	English	Comments
Density	1.22 g/cc	0.0441 lb/in ³	
Viscosity	40 cP	40 cP	
Vapor Pressure	4.00e-7 bar @Temperature 25.0 °C	0.000300 torr @Temperature 77.0 °F	

Thermal Properties	Metric	English	Comments
Boiling Point	>= 190 °C @Pressure 0.000667 MPa	>= 374 °F @Pressure 0.0967 psi	
Flash Point	199 °C	390 °F	

Descriptive Properties	Value	Comments
Color	Yellow to Light Yellow	
Composition	NCO content	0.295

Contact Songhan Plastic Technology Co.,Ltd.

Website : www.lookpolymers.comEmail : sales@lookpolymers.com

Tel : +86 021-51131842

Mobile : +86 13061808058

Skype : lookpolymers

Address : United North Road 215,Fengxian District, Shanghai City,China