

## ChevronTexaco Havoline® SAE 20W-50 Motor Oil

Category: Fluid, Lubricant

## **Material Notes:**

All grades of Havoline Motor Oils are formulated with high quality base stocks, a shear-stable viscosity index improver, and contain detergent, dispersant, wear control, antioxidant, corrosion inhibitor, and foam suppressant additives. Havoline Motor Oils are recommended for all four-stroke gasoline engines used in passenger cars, light trucks, powerboats, motorcycles, and other mobile and stationary equipment. They are excellent for high-revving engines in small cars and light trucks. All grades are specially formulated for use in both new and high-mileage cars, and in turbocharged as well as normally aspirated engines. SAE 20W-50 is recommended primarily for older engines for use in high temperature and heavy duty operations such as towing heavy trailers at highway speeds or up inclines for long periods of time. Typical test data are average values only. Minor variations which do not affect product performance are to be expected in normal manufacturing. CPS Number: 222196; MSDS Number: 8599

## Order this product through the following link:

http://www.lookpolymers.com/polymer\_ChevronTexaco-Havoline-SAE-20W-50-Motor-Oil.php

Physical Properties	Metric	English	Comments	
API Gravity	28.9 °	28.9°		
Viscosity	8000 cP	8000 cP	Cold Crank	
	@Temperature -15.0 °C	@Temperature 5.00 °F		
Viscosity Measurement	122 122		Viscosity Index	
Kinematic Viscosity at 40°C (104°F)	176 cSt	176 cSt		
Kinematic Viscosity at 100°C (212°F)	19 cSt	19 cSt		
Ash	0.90 %	0.90 %	Sulfated Ash	

Thermal Properties	Metric	English	Comments
Pour Point	-29.0 °C	-20.2 °F	
Flash Point	258 °C	496 °F	

Component Elements Properties	Metric	English	Comments	
Phosphorous, P	0.094 %	0.094 %		
Zinc, Zn	0.103 %	0.103 %		

Chemical Properties	Metric	English	Comments
Total Base Number	7.6	7.6	ASTM D2896



## **Contact Songhan Plastic Technology Co.,Ltd.**

Website: www.lookpolymers.com Email: sales@lookpolymers.com

Tel: +86 021-51131842 Mobile: +86 13061808058

Skype: lookpolymers

Address: United North Road 215, Fengxian District, Shanghai City, China