

ChevronTexaco Synthetic All-Weather THF

Category: Fluid, Lubricant

Material Notes:

FeaturesChevron All-Weather THF is a truly unique, high quality, multifunctional fluid, specially formulated for use in transmissions, final drives, wet brakes, and hydraulic systems of tractors and other equipment employing a common fluid reservoir. Chevron All-Weather THF is specially designed for operation in all types of weather — both severe winter cold and extreme summer heat. In fact, Chevron All-Weather THF meets the requirements of both John Deere J20C and J20D specifications. This, combined with excellent oxidation stability, eliminates the need for seasonal oil changes. Its distinctive orange color provides for easy product identification and leak detection. Applications Chevron Synthetic All-Weather THF is recommended for use as a multifunctional and multiseasonal fluid in all types od tractors and construction equipment. It can be used in any applications which calls for the following OEM lubricant specifications: AGCO-improved power fluid 821XLJohn Deere-J20C, J20DFord New Holland-ESN-

Order this product through the following link:

http://www.lookpolymers.com/polymer_ChevronTexaco-Synthetic-All-Weather-THF.php

Physical Properties	Metric	English	Comments
API Gravity	34.5°	34.5°	
Brookfield Viscosity	17000 cP	17000 cP	
Diodelicia viscosity	@Temperature -40.0 °C	@Temperature -40.0 °F	
Viscosity Measurement	204	204	Viscosity Index; ASTM D2270
Saybolt Viscosity at 100°F	225 SUS	225 SUS	
Saybolt Viscosity at 210°F	58.2 SUS	58.2 SUS	
Kinematic Viscosity at 40°C (104°F)	44.7 cSt	44.7 cSt	ASTM D445
Kinematic Viscosity at 100°C (212°F)	9.5 cSt	9.5 cSt	ASTM D445

Thermal Properties	Metric	English	Comments
Pour Point	-45.0 °C	-49.0 °F	ASTM D97
Flash Point	242 °C	468 °F	ASTM D92

Descriptive Properties	Value	Comments
Color	Orange	

Contact Songhan Plastic Technology Co.,Ltd.

Website: www.lookpolymers.com Email: sales@lookpolymers.com



Tel: +86 021-51131842 Mobile: +86 13061808058

Skype: lookpolymers

Address: United North Road 215, Fengxian District, Shanghai City, China