

## ConocoPhillips ANDEROL® SAE 20 White Mineral Oil Food Grade Trolley Oil ISO 46

Category : Fluid , Lubricant , White Mineral Oil (WMO)

### Material Notes:

Description: ANDEROL PQ Trolley Oil is a white mineral oil based product that meets the former H-1 approval requirements of the USDA where incidental food contact can occur. PQ Trolley Oil is recommended for trolleys in slaughterhouses, meat and poultry processing facilities and other overhead trolley applications requiring an H-1 approved lubricant. PQ food grade lubricants are approved, recommended and field tested by many OEMs in the food processing, baking, bottling, canning, meat processing and pharmaceutical industries. PQ food grade lubricants are listed by NSF International under "USDA Regulations, Proprietary Substances and Nonfood Compounds." Information provided by ConocoPhillips.Anderol® is a registered trademark of The Anderol Company.

Order this product through the following link:

[http://www.lookpolymers.com/polymer\\_ConocoPhillips-ANDEROL-SAE-20-White-Mineral-Oil-Food-Grade-Trolley-Oil-ISO-46.php](http://www.lookpolymers.com/polymer_ConocoPhillips-ANDEROL-SAE-20-White-Mineral-Oil-Food-Grade-Trolley-Oil-ISO-46.php)

Physical Properties	Metric	English	Comments
Specific Gravity	0.880 g/cc	0.880 g/cc	60°F; ASTM D-1298
Saybolt Viscosity at 100°F	223 SUS	223 SUS	ASTM D-2161
Saybolt Viscosity at 210°F	49 SUS	49 SUS	ASTM D-2161
Kinematic Viscosity at 40°C (104°F)	43.4 cSt	43.4 cSt	ASTM D-445
Kinematic Viscosity at 100°C (212°F)	6.8 cSt	6.8 cSt	ASTM D-445
ASTM Color	2.5	2.5	ASTM D-1500

Thermal Properties	Metric	English	Comments
Pour Point	5.00 °C	41.0 °F	ASTM D-97
Flash Point	213 °C	415 °F	ASTM D-92

Descriptive Properties	Value	Comments
Demulsification (39/38/3)	10 minutes	ml oil/water/emulsion, ASTM D1401
Fire point	229°C	ASTM D-92
Neutralization No.	2	ASTM D974

## Contact Songhan Plastic Technology Co.,Ltd.

Website : [www.lookpolymers.com](http://www.lookpolymers.com)

Email : [sales@lookpolymers.com](mailto:sales@lookpolymers.com)

Tel : +86 021-51131842

Mobile : +86 13061808058

Skype : lookpolymers

Address : United North Road 215, Fengxian District, Shanghai City, China