

ConocoPhillips Hydroclear® Automatic Transmission Fluid

Category : Fluid , Lubricant

Material Notes:

Description: Conoco Hydroclear DEXRON® III & MERCON® Automatic Transmission Fluid is a multipurpose fluid for the electronically controlled transmissions of most domestic and imported automobiles, trucks and buses built after 1989. It is approved by GM as a DEXRON III fluid and by Ford as a MERCON fluid. It is recommended for Ford transmissions requiring Type CJ and Type H fluids. It is approved by Allison as a C-4 fluid and also can be used in off-highway transmissions, power steering systems and other hydraulic systems. Hydroclear DEXRON III & MERCON Automatic Transmission Fluid is suited for a wide variety of industrial applications that call for an ISO 46 or SAE 20W hydraulic fluid. It qualifies as a Denison HF-O hydraulic fluid and has performed well in both Sunstrand and Vickers hydraulic pumps. Hydroclear DEXRON III & MERCON Automatic Transmission Fluid improves shifting characteristics at both high- and low-ambient temperatures. It resists thermal and oxidative degradation and offers outstanding low-temperature fluidity. It inhibits the formation of gum, sludge, lacquer and foam, protecting transmission from rust, corrosion and wear. It is dyed red for easy identification. Information provided by ConocoPhillips.

Order this product through the following link:

http://www.lookpolymers.com/polymer_ConocoPhillips-Hydroclear-Automatic-Transmission-Fluid.php

Physical Properties	Metric	English	Comments
API Gravity	33.3 °	33.3 °	
Viscosity	14900 cP @Temperature -40.0 °C	14900 cP @Temperature -40.0 °F	
Viscosity Measurement	197	197	Viscosity Index
Kinematic Viscosity at 40°C (104°F)	33 cSt	33 cSt	
Kinematic Viscosity at 100°C (212°F)	7.7 cSt	7.7 cSt	

Thermal Properties	Metric	English	Comments
Pour Point	-51.1 °C	-60.0 °F	
Flash Point	190 °C	374 °F	

Descriptive Properties	Value	Comments
Color	Red	

Contact Songhan Plastic Technology Co.,Ltd.

Website : www.lookpolymers.comEmail : sales@lookpolymers.com

Tel : +86 021-51131842

Mobile : +86 13061808058

Skype : lookpolymers

Address : United North Road 215, Fengxian District, Shanghai City, China