

Dow Corning 737 NEUTRAL CURE SEALANT

Category : Polymer , Adhesive , Thermoset , Silicone , Silicone, RTV, Adhesive/Sealant Grade

Material Notes:

RTV adhesive/sealant with primerless adhesion to most materials Information provided by Dow Corning

Order this product through the following link:

http://www.lookpolymers.com/polymer_Dow-Corning-737-NEUTRAL-CURE-SEALANT.php

Physical Properties	Metric	English	Comments
Specific Gravity	1.04 g/cc	1.04 g/cc	

Mechanical Properties	Metric	English	Comments
Hardness, Shore A	33	33	
Tensile Strength, Ultimate	1.21 MPa	175 psi	
Elongation at Break	300 %	300 %	
Peel Strength	3.51 kN/m	20.0 pli	

Thermal Properties	Metric	English	Comments
Maximum Service Temperature, Air	177 °C	351 °F	
Minimum Service Temperature, Air	-65.0 °C	-85.0 °F	

Processing Properties	Metric	English	Comments
Cure Time	1440 min @Temperature 22.0 °C	24.0 hour @Temperature 71.6 °F	
Shelf Life	24.0 Month	24.0 Month	

Descriptive Properties	Value	Comments
Appearance	translucent	
Color	Black	
	White	

Contact Songhan Plastic Technology Co.,Ltd.

Website : www.lookpolymers.com

Email : sales@lookpolymers.com

Tel : +86 021-51131842

Mobile : +86 13061808058

Skype : lookpolymers

Address : United North Road 215, Fengxian District, Shanghai City, China