

Dow Corning MOLYKOTE® G-0101

Category : Fluid , Lubricant

Material Notes:

Rolling element bearing grease for high speed application Information provided by Dow Corning

Order this product through the following link:

http://www.lookpolymers.com/polymer_Dow-Corning-MOLYKOTE-G-0101.php

Physical Properties	Metric	English	Comments
Specific Gravity	0.910 g/cc @Temperature 25.0 °C	0.910 g/cc @Temperature 77.0 °F	

Mechanical Properties	Metric	English	Comments
Four Ball Extreme Pressure, Weld Load	203.9 kg	449.6 lb (mass)	
Penetration P(60), 1/10 mm	280	280	

Thermal Properties	Metric	English	Comments
Maximum Service Temperature, Air	150 °C	302 °F	
Minimum Service Temperature, Air	-20.0 °C	-4.00 °F	
Dropping Point	>= 260 °C	>= 500 °F	

Descriptive Properties	Value	Comments
Color	yellowish-brown	
NLGI Number	2	
Thickening System	lithium complex	

Contact Songhan Plastic Technology Co.,Ltd.

Website : www.lookpolymers.com

Email : sales@lookpolymers.com

Tel : +86 021-51131842

Mobile : +86 13061808058

Skype : lookpolymers

Address : United North Road 215,Fengxian District, Shanghai City,China