

## DuPont Performance Polymers Delrin® SC655 NC010 Acetal (POM) (Unverified Data\*\*)

Category : Polymer , Thermoplastic , Acetal (POM) , Acetal Homopolymer, Unreinforced

### Material Notes:

Medium Viscosity Acetal Homopolymer Developed for the Healthcare Industry Delrin SC655 is a medium viscosity acetal homopolymer developed for parts requiring high precision molding in the healthcare industry. Information provided by DuPont Performance Polymers

Order this product through the following link:

[http://www.lookpolymers.com/polymer\\_DuPont-Performance-Polymers-Delrin-SC655-NC010-Acetal-POM-nbspUnverified-Data.php](http://www.lookpolymers.com/polymer_DuPont-Performance-Polymers-Delrin-SC655-NC010-Acetal-POM-nbspUnverified-Data.php)

Physical Properties	Metric	English	Comments
Density	1.42 g/cc	0.0513 lb/in <sup>3</sup>	ISO 1183

Mechanical Properties	Metric	English	Comments
Tensile Strength, Yield	70.0 MPa	10200 psi	ISO 527-1/-2
Elongation at Break	30 %	30 %	Nominal; ISO 527-1/-2
Elongation at Yield	17 %	17 %	ISO 527-1/-2
Tensile Modulus	3.10 GPa	450 ksi	ISO 527-1/-2
Charpy Impact, Notched	0.900 J/cm <sup>2</sup>	4.28 ft-lb/in <sup>2</sup>	ISO 179/1eA

Thermal Properties	Metric	English	Comments
Melting Point	178 °C	352 °F	10°C/min; ISO 11357-1/-3

Descriptive Properties	Value	Comments
Additives	Lubricants	
	Release agent	
Delivery Form	Pellets	
Part Marking Code	>POM<	ISO 11469
Processing	Injection Moulding	
Regional Availability	Asia Pacific	
	Europe	
	Global	
	Near East/Africa	

Descriptive Properties	North America Value	Comments
	South and Central America	
Resin Identification	POM	ISO 1043

## Contact Songhan Plastic Technology Co.,Ltd.

Website : [www.lookpolymers.com](http://www.lookpolymers.com)

Email : [sales@lookpolymers.com](mailto:sales@lookpolymers.com)

Tel : +86 021-51131842

Mobile : +86 13061808058

Skype : lookpolymers

Address : United North Road 215,Fengxian District, Shanghai City,China