

ExxonMobil Exxsol™ D80 Dearomatized Fluid

Category : Fluid

Material Notes:

Availability: Africa & Middle East, Asia Pacific, Europe, Central America, North America and South America Appearance: Clear/Transparent

Liquid Information provided by ExxonMobil

Order this product through the following link:

http://www.lookpolymers.com/polymer_ExxonMobil-Exxsol-D80-Deaomatized-Fluid.php

Physical Properties	Metric	English	Comments
Density	0.794 g/cc @Temperature 15.6 °C	0.0287 lb/in ³ @Temperature 60.0 °F	ASTM D4052
Kinematic Viscosity	2.18 cSt	2.18 cSt	ASTM D445
Vapor Pressure	<= 0.000133 bar @Temperature 20.0 °C	<= 0.100 torr @Temperature 68.0 °F	ExxonMobil Method

Thermal Properties	Metric	English	Comments
Boiling Point	208 °C	406 °F	Initial; ASTM D86
Flash Point	82.2 °C	180 °F	Method A; ASTM D93

Descriptive Properties	Value	Comments
Aniline Point	171°F	Method E, ASTM D611
Aromatic Content	0.002	ExxonMobil Method
Dry Point	457°F	ASTM D86

Contact Songhan Plastic Technology Co.,Ltd.

Website : www.lookpolymers.comEmail : sales@lookpolymers.com

Tel : +86 021-51131842

Mobile : +86 13061808058

Skype : lookpolymers

Address : United North Road 215,Fengxian District, Shanghai City,China