

ExxonMobil Solvesso™ Aromatic 150 ND Aromatic Fluid

Category : Fluid

Material Notes:

Appearance: Clear/Transparent Liquid Availability: North America Information provided by ExxonMobil

Order this product through the following link:

http://www.lookpolymers.com/polymer_ExxonMobil-Solvesso-Aromatic-150-ND-Aromatic-Fluid.php

Physical Properties	Metric	English	Comments
Density	0.886 g/cc @Temperature 15.6 °C	0.0320 lb/in ³ @Temperature 60.0 °F	ASTM D4052
Kinematic Viscosity	1.25 cSt	1.25 cSt	ASTM D445
Vapor Pressure	0.000933 bar @Temperature 20.0 °C	0.700 torr @Temperature 68.0 °F	ExxonMobil Method

Thermal Properties	Metric	English	Comments
Boiling Point	184 °C	363 °F	Initial; ASTM D86
Flash Point	65.0 °C	149 °F	ASTM D56

Descriptive Properties	Value	Comments
Aniline Point	59°F	Mixed, Method E, ASTM D611
Aromatic Content	>99%	FIA, ASTM D1319
Dry Point	381°F	ASTM D86

Contact Songhan Plastic Technology Co.,Ltd.

Website : www.lookpolymers.com

Email : sales@lookpolymers.com

Tel : +86 021-51131842

Mobile : +86 13061808058

Skype : lookpolymers

Address : United North Road 215,Fengxian District, Shanghai City,China