

## Hexcel® HexWeb® HRH-36 - 1/8 - 4.5 Para-Aramid/Phenolic Core

Category: Other Engineering Material, Composite Core Material, Polymer, Thermoset, Aramid, Phenolic

## **Material Notes:**

Designation: Material-Cell Size (inches)-DensityHexWeb® HRH-36 is manufactured using KEVLAR® paper. The standard resin system is phenolic.Features: Mechanical properties equivalent to KOREX®; Low moisture pickup; Excellent thermal stability; Smooth cell wall finish.Applications: HexWeb® HRH-36 is a high performance non-metallic core, available in a wide range of densities, suitable for most composite sandwich applications. It can be readily heat formed to help produce complex components and offers similar mechanical properties to KOREX® core as well as comparable moisture pickup. In addition, HexWeb® HRH-36 offers a weight reduction over higher density NOMEX® honeycomb cores.

## Order this product through the following link:

http://www.lookpolymers.com/polymer\_Hexcel-HexWeb-HRH-36-18-45-Para-AramidPhenolic-Core.php

Physical Properties	Metric	English	Comments
Density	0.0721 g/cc	0.00260 lb/in <sup>3</sup>	

Mechanical Properties	Metric	English	Comments
Compressive Yield Strength	4.48 MPa	650 psi	Bare
	4.62 MPa	670 psi	Stabilized
Shear Modulus	0.0862 GPa	12.5 ksi	Plate Shear, W Direction
	0.165 GPa	24.0 ksi	Plate Shear, L Direction
Shear Strength	1.45 MPa	210 psi	Plate Shear, W Direction
	2.28 MPa	330 psi	Plate Shear, L Direction

## **Contact Songhan Plastic Technology Co.,Ltd.**

Website: www.lookpolymers.com Email: sales@lookpolymers.com

Tel: +86 021-51131842 Mobile: +86 13061808058

Skype: lookpolymers

Address: United North Road 215, Fengxian District, Shanghai City, China