

## Lubriplate APG 80W-90 Petroleum-Based Gear, Bearing, & Recirculating Oil

Category : Fluid , Lubricant

**Material Notes:**

These heavy-duty, EP (extreme pressure) type oils were developed to meet gear oil needs of most automotive, truck, heavy equipment, and industrial gear boxes requiring an extreme pressure. Meets military specification MIL-PRF-2105E and MIL-L-21050, as well as API categories GL-3, GL-4, GL-5, and MT-1APG Series Oils are available in Bottles, Jugs, Pails, 1/4 Drums & Drums. Information provided by Lubriplate

Order this product through the following link:

[http://www.lookpolymers.com/polymer\\_Lubriplate-APG-80W-90-Petroleum-Based-Gear-Bearing-Recirculating-Oil.php](http://www.lookpolymers.com/polymer_Lubriplate-APG-80W-90-Petroleum-Based-Gear-Bearing-Recirculating-Oil.php)

| Physical Properties                    | Metric  | English | Comments        |
|--|---------|---------|-----------------|
| Viscosity Measurement                  | 100     | 100     | ISO Grade       |
|  | 121     | 121     | Viscosity Index |
| Saybolt Viscosity at 100Â°F            | 650 SUS | 650 SUS |                 |
| Saybolt Viscosity at 210Â°F            | 84 SUS  | 84 SUS  |                 |
| Kinematic Viscosity at 40Â°C (104Â°F)  | 124 cSt | 124 cSt |                 |
| Kinematic Viscosity at 100Â°C (212Â°F) | 15 cSt  | 15 cSt  |                 |

| Thermal Properties | Metric    | English   | Comments         |
|--------------------|-----------|-----------|------------------|
| Pour Point         | -37.2 Â°C | -35.0 Â°F |                  |
| Flammability Test  | 410       | 410       | [Â°F] Fire Point |
| Flash Point        | 193 Â°C   | 380 Â°F   |                  |

| Descriptive Properties | Value  | Comments |
|------------------------|--------|----------|
| SAE Gear Oil No.       | 80W-90 |          |
| SAE No.                | 40     |          |

## Contact Songhan Plastic Technology Co.,Ltd.

Website : [www.lookpolymers.com](http://www.lookpolymers.com)Email : [sales@lookpolymers.com](mailto:sales@lookpolymers.com)

Tel : +86 021-51131842

Mobile : +86 13061808058

Skype : lookpolymers

Address : United North Road 215, Fengxian District, Shanghai City, China