

LyondellBasell Glycol Ether EBA Ethylene glycol butyl ether acetate

Category : Fluid , Solvent

Material Notes:

Information provided by Lyondell.

Order this product through the following link:

http://www.lookpolymers.com/polymer_LyondellBasell-Glycol-Ether-EBA-Ethylene-glycol-butyl-ether-acetate.php

Physical Properties	Metric	English	Comments
Specific Gravity	0.941 g/cc	0.941 g/cc	20/20Â°C
Density	0.939 g/cc @Temperature 20.0 Â°C	0.0339 lb/inÂ³ @Temperature 68.0 Â°F	
Solubility in Water	1.0 %	1.0 %	20Â°C
Viscosity	1.8 cP @Temperature 25.0 Â°C	1.8 cP @Temperature 77.0 Â°F	
Molecular Weight	160.21 g/mol	160.21 g/mol	
Vapor Pressure	0.0000267 bar @Temperature 20.0 Â°C	0.0200 torr @Temperature 68.0 Â°F	
Evaporation Loss	3.0 %	3.0 %	n-BuAc=100%
Surface Tension	30.3 dynes/cm	30.3 dynes/cm	25Â°C

Thermal Properties	Metric	English	Comments
Boiling Point	190 Â°C	374 Â°F	at 760 mmHg
Flash Point	74.0 Â°C	165 Â°F	Tag Closed Cup

Optical Properties	Metric	English	Comments
Refractive Index	1.4142 @Temperature 25.0 Â°C	1.4142 @Temperature 77.0 Â°F	

Descriptive Properties	Value	Comments
CAS Number	112-07-2	

Contact Songhan Plastic Technology Co.,Ltd.

Website : www.lookpolymers.com

Email : sales@lookpolymers.com

Tel : +86 021-51131842

Mobile : +86 13061808058

Skype : lookpolymers

Address : United North Road 215,Fengxian District, Shanghai City,China