

## LyondellBasell TEBOLÂ® 99 High Purity TBA, Tertiary butyl alcohol

Category : Fluid , Solvent

### Material Notes:

Information provided by Lyondell.

Order this product through the following link:

[http://www.lookpolymers.com/polymer\\_LyondellBasell-TEBOL-99-High-Purity-TBA-Tertiary-butyl-alcohol.php](http://www.lookpolymers.com/polymer_LyondellBasell-TEBOL-99-High-Purity-TBA-Tertiary-butyl-alcohol.php)

Physical Properties	Metric	English	Comments
Specific Gravity	0.800 g/cc	0.800 g/cc	20/20Â°C
Density	0.779 g/cc @Temperature 20.0 Â°C	0.0281 lb/inÂ³ @Temperature 68.0 Â°F	
Solubility in Water	100 %	100 %	20Â°C
Viscosity	3.3 cP @Temperature 25.0 Â°C	3.3 cP @Temperature 77.0 Â°F	
Molecular Weight	74 g/mol	74 g/mol	
Vapor Pressure	0.0413 bar @Temperature 20.0 Â°C	31.0 torr @Temperature 68.0 Â°F	
Evaporation Loss	95 %	95 %	n-BuAc=100%
Surface Tension	20 dynes/cm	20 dynes/cm	25Â°C

Thermal Properties	Metric	English	Comments
Boiling Point	82.0 Â°C	180 Â°F	at 760 mmHg
Flash Point	11.0 Â°C	51.8 Â°F	Seta

Optical Properties	Metric	English	Comments
Refractive Index	1.38 @Temperature 25.0 Â°C	1.38 @Temperature 77.0 Â°F	

Descriptive Properties	Value	Comments
CAS Number	75-65-0	

## **Contact Songhan Plastic Technology Co.,Ltd.**

**Website : [www.lookpolymers.com](http://www.lookpolymers.com)**

**Email : [sales@lookpolymers.com](mailto:sales@lookpolymers.com)**

**Tel : +86 021-51131842**

**Mobile : +86 13061808058**

**Skype : lookpolymers**

**Address : United North Road 215,Fengxian District, Shanghai City,China**