

LyondellBasell TPNB Tripropylene glycol normal butyl ether

Category : Fluid , Solvent

Material Notes:

Information provided by Lyondell.

Order this product through the following link:

http://www.lookpolymers.com/polymer_LyondellBasell-TPNB-Tripropylene-glycol-normal-butyl-ether.php

Physical Properties	Metric	English	Comments
Specific Gravity	0.934 g/cc	0.934 g/cc	20/20Â°C
Density	0.935 g/cc @Temperature 20.0 Â°C	0.0338 lb/inÂ³ @Temperature 68.0 Â°F	
Solubility in Water	3.0 %	3.0 %	20Â°C
Viscosity	8.0 cP @Temperature 25.0 Â°C	8.0 cP @Temperature 77.0 Â°F	
Molecular Weight	248.4 g/mol	248.4 g/mol	
Vapor Pressure	<= 0.0000133 bar @Temperature 20.0 Â°C	<= 0.0100 torr @Temperature 68.0 Â°F	
Evaporation Loss	<= 1.0 %	<= 1.0 %	n-BuAc=100%
Surface Tension	29.7 dynes/cm	29.7 dynes/cm	25Â°C

Thermal Properties	Metric	English	Comments
Boiling Point	274 Â°C	525 Â°F	at 760 mmHg
Flash Point	124 Â°C	255 Â°F	Pensky-Martens

Optical Properties	Metric	English	Comments
Refractive Index	1.433 @Temperature 25.0 Â°C	1.433 @Temperature 77.0 Â°F	

Descriptive Properties	Value	Comments
CAS Number	55934-93-5	

Contact Songhan Plastic Technology Co.,Ltd.

Website : www.lookpolymers.com

Email : sales@lookpolymers.com

Tel : +86 021-51131842

Mobile : +86 13061808058

Skype : lookpolymers

Address : United North Road 215,Fengxian District, Shanghai City,China