

Micropol P Polypropylene copolymer for rotational molding applications

Category : Polymer , Thermoplastic , Polypropylene (PP)

Material Notes:

Fully Heat and UV stabilized Information provided by Micropol Limited

Order this product through the following link:

http://www.lookpolymers.com/polymer_Micropol-P-Polypropylene-copolymer-for-rotational-molding-applications.php

Physical Properties	Metric	English	Comments
Density	0.900 g/cc	0.0325 lb/in ³	ISO 1183

Mechanical Properties	Metric	English	Comments
Hardness, Shore A	70	70	ISO 868
Tensile Strength, Yield	26.0 MPa	3770 psi	50mm/min; ISO 527-2
Elongation at Yield	7.0 %	7.0 %	50mm/min; ISO 527-2
Flexural Modulus	0.178 GPa	25.8 ksi	2mm/min; ISO 178

Thermal Properties	Metric	English	Comments
Deflection Temperature at 0.46 MPa (66 psi)	100 Å°C	212 Å°F	ISO 75-2

Contact Songhan Plastic Technology Co.,Ltd.

Website : www.lookpolymers.com

Email : sales@lookpolymers.com

Tel : +86 021-51131842

Mobile : +86 13061808058

Skype : lookpolymers

Address : United North Road 215,Fengxian District, Shanghai City,China