

Momentive Performance Materials FSE7340 Heat Cured Fluorosilicone Rubber

Category: Polymer, Thermoset, Rubber or Thermoset Elastomer (TSE), Silicone, Silicone Rubber

Material Notes:

Heat cured rubber is a high consistency product that can be molded, extruded or calendered using conventional rubber processing equipment to meet a wide range of cost, durability and performance standards. Fluorosilicones are suitable for applications in presence of fuel, oils, blow by gas, and various solvents. FSE7340 is a peroxide curable, high tear resistance grade silicone elastomer. All Fluorosilicones are available as customized ready-to-use products.

Order this product through the following link:

http://www.lookpolymers.com/polymer_Momentive-Performance-Materials-FSE7340-Heat-Cured-Fluorosilicone-Rubber.php

Physical Properties	Metric	English	Comments
Specific Gravity	1.44 g/cc	1.44 g/cc	

Mechanical Properties	Metric	English	Comments
Hardness, Shore A	43	43	
Tensile Strength	11.2 MPa	1620 psi	
Elongation at Break	500 %	500 %	
Tear Strength	42.0 kN/m	240 pli	Die B
Compression Set	8.0 %	8.0 %	

Descriptive Properties	Value	Comments
Appearance	Pale Yellow	

Contact Songhan Plastic Technology Co.,Ltd.

Website: www.lookpolymers.com Email: sales@lookpolymers.com

Tel: +86 021-51131842 Mobile: +86 13061808058

Skype: lookpolymers

Address: United North Road 215, Fengxian District, Shanghai City, China