

Multibase Multi-Pro® 2513 C Whirlpool White Polypropylene

Category : Polymer , Thermoplastic , Polypropylene (PP)

Material Notes:

Forms: Pellets Processing Methods: Injection Molding Information provided by Multibase

Order this product through the following link:

http://www.lookpolymers.com/polymer_Multibase-Multi-Pro-2513-C-Whirlpool-White-Polypropylene.php

Physical Properties	Metric	English	Comments
Density	1.11 g/cc	0.0401 lb/in ³	ASTM D792
Melt Flow	12 g/10 min	12 g/10 min	ASTM D1238

Mechanical Properties	Metric	English	Comments
Tensile Strength, Ultimate	17.2 MPa	2500 psi	ASTM D638
Elongation at Break	300 %	300 %	ASTM D638
Flexural Strength	24.1 MPa	3500 psi	ASTM D790
Flexural Modulus	1.03 GPa	150 ksi	ASTM D790
Izod Impact, Notched	0.801 J/cm	1.50 ft-lb/in	73°F; ASTM D256
Gardner Impact	22.60 J	16.67 ft-lb	ASTM D3029

Optical Properties	Metric	English	Comments
Gloss	35 %	35 %	at 60°; ASTM D2457

Contact Songhan Plastic Technology Co.,Ltd.

Website : www.lookpolymers.comEmail : sales@lookpolymers.com

Tel : +86 021-51131842

Mobile : +86 13061808058

Skype : lookpolymers

Address : United North Road 215, Fengxian District, Shanghai City, China