

## **Process Technologies Inc EPDM Sanitary Gasket**

Category: Polymer, Thermoset, Rubber or Thermoset Elastomer (TSE)

## **Material Notes:**

EPDM (Ethylene Propylene Diene Monomer) This material is USP Class VI, FDA and 3A compliant. EPDM has very good water and steam resistance. Because of its polymer structure, this material does not offer strong resistance to oil, animal fat and most acids. Information provided by Process Technologies Inc

## Order this product through the following link:

http://www.lookpolymers.com/polymer\_Process-Technologies-Inc-EPDM-Sanitary-Gasket.php

Thermal Properties	Metric	English	Comments	
Maximum Service Temperature, Air	148.89 °C	300.00 °F		
Minimum Service Temperature, Air	-34.44 °C	-29.99 °F		

Descriptive Properties	Value	Comments
Color	Black	
	Red	
	White	
Compatibility for Chemicals	Acetone	Excellent
	Ammonia	Excellent
	Hydrochloric Acid	Limited
	Hydrofluoric Acid	Limited
	Hydrogen Peroxide	Not Recommended
	Isopropyl Alcohol	Excellent
	Nitric Acid	Good
	Phosphoric Acid	Excellent
	Sodium Hydroxide	Excellent
	Sodium Hypochlorite	Good
	Steam to 400°F (204°C)	Limited
	Sulfuric Acid	Good

## **Contact Songhan Plastic Technology Co.,Ltd.**



Website: www.lookpolymers.com Email: sales@lookpolymers.com

Tel: +86 021-51131842 Mobile: +86 13061808058

Skype: lookpolymers

Address: United North Road 215, Fengxian District, Shanghai City, China