

Reliance Industries PET - 35% Glass filled

Category : Polymer , Thermoplastic , Polyester, TP , Polyethylene Terephthalate (PET) , Polyethylene Terephthalate (PET), 40% Glass Reinforced

Material Notes:

Information provided by Reliance Industries

Order this product through the following link:

http://www.lookpolymers.com/polymer_Reliance-Industries-PET-35-Glass-filled.php

Physical Properties	Metric	English	Comments
Specific Gravity	1.67 g/cc	1.67 g/cc	

Mechanical Properties	Metric	English	Comments
Tensile Strength, Yield	97.0 MPa	14100 psi	
Tensile Modulus	6.90 GPa	1000 ksi	
Flexural Strength	196 MPa	28400 psi	
Flexural Modulus	7.58 GPa	1100 ksi	

Thermal Properties	Metric	English	Comments
Deflection Temperature at 1.8 MPa (264 psi)	248 °C	478 °F	

Contact Songhan Plastic Technology Co.,Ltd.

Website : www.lookpolymers.com

Email : sales@lookpolymers.com

Tel : +86 021-51131842

Mobile : +86 13061808058

Skype : lookpolymers

Address : United North Road 215,Fengxian District, Shanghai City,China