

Solvay Chemicals Allyl chloride 3-chloropropene

Category : Fluid

Material Notes:

Allyl chloride is mainly used in the manufacture of epichlorohydrin. It is also used in the production of allylic ethers, esters, silanes and quaternary ammonium derivatives. EINECS Number: 203-457-6/CAS Number: 107-05-1/UN number: 1100 Information provided by Solvay

Order this product through the following link:

http://www.lookpolymers.com/polymer_Solvay-Chemicals-Allyl-chloride-3-chloropropene.php

Physical Properties	Metric	English	Comments
Density	0.7911 g/cc	0.02858 lb/in ³	
	@Pressure 0.7726 MPa, Temperature 120 Â°C	@Pressure 112.1 psi, Temperature 248 Â°F	
	0.8084 g/cc	0.02921 lb/in ³	
	@Pressure 0.6201 MPa, Temperature 110 Â°C	@Pressure 89.94 psi, Temperature 230 Â°F	
	0.825 g/cc	0.0298 lb/in ³	
	@Pressure 0.4912 MPa, Temperature 100 Â°C	@Pressure 71.24 psi, Temperature 212 Â°F	
	0.8411 g/cc	0.03039 lb/in ³	
	@Pressure 0.3835 MPa, Temperature 90.0 Â°C	@Pressure 55.62 psi, Temperature 194 Â°F	
	0.8565 g/cc	0.03094 lb/in ³	
	@Pressure 0.2947 MPa, Temperature 80.0 Â°C	@Pressure 42.74 psi, Temperature 176 Â°F	
0.8714 g/cc	0.03148 lb/in ³		
@Pressure 0.2226 MPa, Temperature 70.0 Â°C	@Pressure 32.29 psi, Temperature 158 Â°F		
0.8859 g/cc	0.03201 lb/in ³		
@Pressure 0.1649 MPa, Temperature 60.0 Â°C	@Pressure 23.92 psi, Temperature 140 Â°F		
0.8999 g/cc	0.03251 lb/in ³		
@Pressure 0.1196 MPa, Temperature 50.0 Â°C	@Pressure 17.35 psi, Temperature 122 Â°F		

Physical Properties	Metric	English	Comments
	@Pressure 0.0848 MPa, Temperature 40.0 Å°C	@Pressure 12.3 psi, Temperature 104 Å°F	
	0.9203 g/cc	0.03325 lb/inÅ³	
	@Pressure 0.0707 MPa, Temperature 35.0 Å°C	@Pressure 10.3 psi, Temperature 95.0 Å°F	
	0.9269 g/cc	0.03349 lb/inÅ³	
	@Pressure 0.0585 MPa, Temperature 30.0 Å°C	@Pressure 8.48 psi, Temperature 86.0 Å°F	
	0.9334 g/cc	0.03372 lb/inÅ³	
	@Pressure 0.0481 MPa, Temperature 25.0 Å°C	@Pressure 6.98 psi, Temperature 77.0 Å°F	
	0.9398 g/cc	0.03395 lb/inÅ³	
	@Pressure 0.0392 MPa, Temperature 20.0 Å°C	@Pressure 5.69 psi, Temperature 68.0 Å°F	
	0.9462 g/cc	0.03418 lb/inÅ³	
	@Pressure 0.0317 MPa, Temperature 15.0 Å°C	@Pressure 4.60 psi, Temperature 59.0 Å°F	
	0.9525 g/cc	0.03441 lb/inÅ³	
	@Pressure 0.0254 MPa, Temperature 10.0 Å°C	@Pressure 3.68 psi, Temperature 50.0 Å°F	
	0.9587 g/cc	0.03464 lb/inÅ³	
	@Pressure 0.0202 MPa, Temperature 5.00 Å°C	@Pressure 2.93 psi, Temperature 41.0 Å°F	
	0.9648 g/cc	0.03486 lb/inÅ³	
	@Pressure 0.0159 MPa, Temperature 0.000 Å°C	@Pressure 2.31 psi, Temperature 32.0 Å°F	
	0.9709 g/cc	0.03508 lb/inÅ³	
	@Pressure 0.0124 MPa, Temperature -5.00 Å°C	@Pressure 1.80 psi, Temperature 23.0 Å°F	
	0.9769 g/cc	0.03529 lb/inÅ³	
	@Pressure 0.00950 MPa,	@Pressure 1.38 psi,	

Physical Properties	Temperature -10.0 Â°C Metric	Temperature 14.0 Â°F English	Comments
	0.9828 g/cc @Pressure 0.00720 MPa, Temperature -15.0 Â°C	0.03551 lb/inÂ³ @Pressure 1.04 psi, Temperature 5.00 Â°F	
	0.9887 g/cc @Pressure 0.00540 MPa, Temperature -20.0 Â°C	0.03572 lb/inÂ³ @Pressure 0.783 psi, Temperature -4.00 Â°F	
	1.0003 g/cc @Pressure 0.00290 MPa, Temperature -30.0 Â°C	0.036138 lb/inÂ³ @Pressure 0.421 psi, Temperature -22.0 Â°F	
Solubility in Water	0.36 %	0.36 %	
Viscosity	0.34 cP	0.34 cP	
Molecular Weight	76.53 g/mol	76.53 g/mol	
Vapor Pressure	0.400 bar	300 torr	
Surface Tension	0.023 dynes/cm	0.023 dynes/cm	

Thermal Properties	Metric	English	Comments
Specific Heat Capacity	0.950 J/g-Â°C	0.227 BTU/lb-Â°F	vapor
	1.50 J/g-Â°C	0.359 BTU/lb-Â°F	liquid
Melting Point	-135 Â°C	-211 Â°F	Freezing Point
Boiling Point	43.0 Â°C	109 Â°F	Azeotrope with water
	45.0 Â°C @Pressure 1.013 MPa	113 Â°F @Pressure 146.9 psi	
Decomposition Temperature	>= 80.0 Â°C	>= 176 Â°F	
Flash Point	-27.0 Â°C	-16.6 Â°F	TAG closed cup

Electrical Properties	Metric	English	Comments
Dielectric Constant	1.013 @Temperature 19.0 Â°C	1.013 @Temperature 66.2 Â°F	vapor
	8.2	8.2	liquid

Electrical Properties	@Temperature 20.0 Metric	@Temperature 68.0 Å°F English	Comments
-----------------------	-----------------------------	----------------------------------	----------

Chemical Properties	Metric	English	Comments
Critical Pressure	48.0 bar	36000 torr	
Critical Temperature	241 Å°C	466 Å°F	

Descriptive Properties	Value	Comments
Appearance	Clear liquid, free from visible matter or particles	
Auto-ignition temperature	>392Å°C	
Coefficient of volume expansion	0.0014	K⁻¹
Combustion heat	24 kJ/g	
Composition	<200 mg/kg	Water, ASTM D3401, ASTM E1064
	>98%	Allyl Chloride - assay
	0.5-90.9 g/kg	Stabilizer
	22 g/kg	Azetrope with water, content
Flammability limits	3.3-11.2%	
Latent heat of evaporation	0.37 kJ/g	45Å°C
Partition coefficient P	2.1 Log P o/w	n-octanol.water
Solubility of water in organic	0.8 g/kg	

Contact Songhan Plastic Technology Co.,Ltd.

Website : www.lookpolymers.com

Email : sales@lookpolymers.com

Tel : +86 021-51131842

Mobile : +86 13061808058

Skype : lookpolymers

Address : United North Road 215,Fengxian District, Shanghai City,China