

Solvay MIRACARE® SLB-365/N Surfactant

Category : Fluid

Material Notes:

Description: Surfactant blend used in the production of structured liquid formulations. The preservative in MIRACARE SLB-365/N is a non-formaldehyde donor (Neolone). I.N.C.I. Name: WATER, SODIUM TRIDECETH SULFATE, SODIUM LAUROAMPHOACETATE, COCAMIDE MEA, SODIUM CHLORIDE, METHYLISOTHIAZOLINONE CAS: 7732-18-5, 25446-78-0, 68608-66-2, 68140-00-1, 7647-14-5, 2682-20-4 EINECS / ELINCS: 231-791-2, 246-985-2, 271-794-6, 268-770-2, 231-598-3, 220-239-6 Available in: Asia Pacific, Europe, Latin America and North America **Applications:** MIRACARE SLB-365/N is a completely formulated free flowing high active Performance Concentrate used in the preparation of structured liquids formulations. When used as prescribed MIRACARE SLB-365/N will yield spherulitic formulations capable of suspending & delivering oils and actives in various skin cleanser formulations. Typical applications are body washes, skin cleansers, facial cleansers, and shampoos. Information provided by Rhodia, Rhodia has been acquired by Solvay.

Order this product through the following link:

http://www.lookpolymers.com/polymer_Solvay-MIRACARE-SLB-365N-Surfactant.php

Physical Properties	Metric	English	Comments
Density	1.10 g/cc	0.0397 lb/in ³	
Solids Content	48 - 52 %	48 - 52 %	Microwave; RP-17650
pH	9.0 - 10	9.0 - 10	10% Solution; RP-17601
Viscosity	1000 - 5000 cP	1000 - 5000 cP	#3 Spindle, 12 rpm >1 min; RP-17619

Optical Properties	Metric	English	Comments
Gardner Color Number	<= 2.0	<= 2.0	25% in DI; RP-17602

Processing Properties	Metric	English	Comments
Shelf Life	12.0 Month	12.0 Month	

Descriptive Properties	Value	Comments
Appearance	Hazy, pourable liquid	RP-0064
Composition	Active	37-42%, MW 434, RP-17501
	Methylisothiazolinone	0.0035-0.0045%
	Microbial Count	<1.0 cfu/ml, RP-1370
	Sodium Chloride	<2.5%, RP-17504
	Sodium Sulfate	<0.6%, RP-17503

Foreign Matter Free from foreign matter

Descriptive Properties	Value	Comments
------------------------	-------	----------

Contact Songhan Plastic Technology Co.,Ltd.

Website : www.lookpolymers.com

Email : sales@lookpolymers.com

Tel : +86 021-51131842

Mobile : +86 13061808058

Skype : lookpolymers

Address : United North Road 215,Fengxian District, Shanghai City,China