

## Spartech Weather-Pro Weatherable Sheet

Category : Polymer , Thermoplastic

### Material Notes:

Description: Weatherable Sheet Information provided by Spartech.

Order this product through the following link:

[http://www.lookpolymers.com/polymer\\_Spartech-Weather-Pro-Weatherable-Sheet.php](http://www.lookpolymers.com/polymer_Spartech-Weather-Pro-Weatherable-Sheet.php)

Physical Properties	Metric	English	Comments
Specific Gravity	1.04 g/cc	1.04 g/cc	ASTM D792

Mechanical Properties	Metric	English	Comments
Hardness, Rockwell R	88	88	ASTM D785
Tensile Strength, Yield	34.5 MPa	5000 psi	ASTM D638
Tensile Modulus	1.93 GPa	280 ksi	ASTM D638
Flexural Yield Strength	51.7 MPa	7500 psi	ASTM D790
Flexural Modulus	1.93 GPa	280 ksi	ASTM D790
Izod Impact, Unnotched	3.74 J/cm	7.00 ft-lb/in	ASTM D256
	0.854 J/cm @Temperature -40.0 Â°C	1.60 ft-lb/in @Temperature -40.0 Â°F	ASTM D256
Falling Dart Impact	29.8 J	22.0 ft-lb	73Â°F; ASTM D3029
	19.0 J @Temperature -40.0 Â°C	14.0 ft-lb @Temperature -40.0 Â°F	ASTM D3029

Thermal Properties	Metric	English	Comments
CTE, linear	90.0 Âµm/m-Â°C @Temperature 20.0 Â°C	50.0 Âµin/in-Â°F @Temperature 68.0 Â°F	ASTM D696
Deflection Temperature at 1.8 MPa (264 psi)	79.4 Â°C	175 Â°F	ASTM D648
Flammability, UL94	HB	HB	

Optical Properties	Metric	English	Comments
Gloss	>= 85 %	>= 85 %	Gardner; ASTM D2523

Optical Properties

Metric

English

Comments

## Contact Songhan Plastic Technology Co.,Ltd.

Website : [www.lookpolymers.com](http://www.lookpolymers.com)

Email : [sales@lookpolymers.com](mailto:sales@lookpolymers.com)

Tel : +86 021-51131842

Mobile : +86 13061808058

Skype : lookpolymers

Address : United North Road 215,Fengxian District, Shanghai City,China