

Teknor Apex Elexar® EL-8730A Thermoplastic Elastomer

Category : Polymer , Thermoplastic , Elastomer , TPE

Material Notes:

Notes: Sunlight Resistant; Temperature Rating: 125°C Processing Method: Extrusion; Injection Molding Information Provided by Teknor Apex

Order this product through the following link:

http://www.lookpolymers.com/polymer_Teknor-Apex-Elexar-EL-8730A-Thermoplastic-Elastomer.php

Physical Properties	Metric	English	Comments
Specific Gravity	1.28 g/cc	1.28 g/cc	

Mechanical Properties	Metric	English	Comments
Hardness, Shore A	85	85	
Tensile Strength	10.7 MPa	1550 psi	
Elongation at Break	550 %	550 %	

Thermal Properties	Metric	English	Comments
Brittleness Temperature	<= -50.0 °C	<= -58.0 °F	ASTM D746
Flammability, UL94	V-0	V-0	
Oxygen Index	27 %	27 %	ASTM D2863

Contact Songhan Plastic Technology Co.,Ltd.

Website : www.lookpolymers.comEmail : sales@lookpolymers.com

Tel : +86 021-51131842

Mobile : +86 13061808058

Skype : lookpolymers

Address : United North Road 215,Fengxian District, Shanghai City,China