

## Unipetrol PP MONSTEN® GB 107 Polypropylene Homopolymer

Category : Polymer , Thermoplastic , Polypropylene (PP)

**Material Notes:**

Made for injection molding. Basic stabilization. Homopolymer. Information provided by Unipetrol RPA

Order this product through the following link:

[http://www.lookpolymers.com/polymer\\_Unipetrol-PP-MONSTEN-GB-107-Polypropylene-Homopolymer.php](http://www.lookpolymers.com/polymer_Unipetrol-PP-MONSTEN-GB-107-Polypropylene-Homopolymer.php)

Physical Properties	Metric	English	Comments
Melt Flow	7.0 g/10 min @Load 2.16 kg, Temperature 230 °C	7.0 g/10 min @Load 4.76 lb, Temperature 446 °F	ISO 1133

Mechanical Properties	Metric	English	Comments
Tensile Strength, Yield	34.0 MPa	4930 psi	ISO 527
Elongation at Break	>= 100 %	>= 100 %	ISO 527
Flexural Modulus	1.55 GPa	225 ksi	ISO 178
Charpy Impact, Notched	0.400 J/cm <sup>2</sup> @Temperature 23.0 °C	1.90 ft-lb/in <sup>2</sup> @Temperature 73.4 °F	ISO 179

Thermal Properties	Metric	English	Comments
Deflection Temperature at 1.8 MPa (264 psi)	56.0 °C	133 °F	ISO 75
Vicat Softening Point	156 °C	313 °F	ISO 306

### Contact Songhan Plastic Technology Co.,Ltd.

Website : [www.lookpolymers.com](http://www.lookpolymers.com)Email : [sales@lookpolymers.com](mailto:sales@lookpolymers.com)

Tel : +86 021-51131842

Mobile : +86 13061808058

Skype : lookpolymers

Address : United North Road 215,Fengxian District, Shanghai City,China