

## 3M Novec™ 8200 Engineered Fluid

Category : Fluid

**Material Notes:**

3M™ Novec™ 8200 Engineered Fluid is a clear, colorless, low-odor fluid intended to replace 1,1,1-trichloroethane and perchloroethylene in film cleaning applications. Features and Benefits: Zero ozone depletion potential Low global warming potential (GWP) Is not a volatile organic compound (VOC) Is listed as a Clean Air Solvent by California's South Coast Air Quality Management District (SCAQMD) Information provided by 3M

Order this product through the following link:

[http://www.lookpolymers.com/polymer\\_3M-Novec-8200-Engineered-Fluid.php](http://www.lookpolymers.com/polymer_3M-Novec-8200-Engineered-Fluid.php)

Physical Properties	Metric	English	Comments
Density	1.43 g/cc	0.0517 lb/in <sup>3</sup>	Liquid
Viscosity	0.61 cP	0.61 cP	
Molecular Weight	264 g/mol	264 g/mol	
Vapor Pressure	0.145 bar	109 torr	
Surface Tension	13.6 dynes/cm	13.6 dynes/cm	

Thermal Properties	Metric	English	Comments
Heat of Vaporization	125.6 J/g	54.03 BTU/lb	@ boiling point
Boiling Point	76.0 °C	169 °F	

Descriptive Properties	Value	Comments
Solubility	<20 ppmw	of Solvent in Water
	92 ppmw	of Water in Solvent

## Contact Songhan Plastic Technology Co.,Ltd.

Website : [www.lookpolymers.com](http://www.lookpolymers.com)Email : [sales@lookpolymers.com](mailto:sales@lookpolymers.com)

Tel : +86 021-51131842

Mobile : +86 13061808058

Skype : lookpolymers

Address : United North Road 215, Fengxian District, Shanghai City, China