

3M Scotchkote™ 136 Encapsulation Coating Polynox

Category: Polymer, Thermoset

Material Notes:

Scotchkote Encapsulation Coating Polynox 136 is a water based acrylic anti corrosive coating specifically developed to provide long term protection and encapsulation of previously coated structures. Product Features: Combines good application characteristics with fast drying capabilities Can be applied to steel and concrete structures Helps provide up to 10 years low maintenance protections. Information provided by 3M

Order this product through the following link:

http://www.lookpolymers.com/polymer_3M-Scotchkote-136-Encapsulation-Coating-Polynox.php

Physical Properties	Metric	English	Comments
Solids Content	60 %	60 %	
Volatile Organic Compounds (VOC) Content	0.00 g/l	0.00 g/l	
Thickness	356 microns	14.0 mil	Dry
	889 microns	35.0 mil	Wet

Processing Properties	Metric	English	Comments
Cure Time	60.0 min	1.00 hour	Touch Dry
	1440 min	24.0 hour	Hard Dry

Descriptive Properties	Value	Comments
Appearance	Grey, White	

Contact Songhan Plastic Technology Co.,Ltd.

Website: www.lookpolymers.com Email: sales@lookpolymers.com

Tel: +86 021-51131842 Mobile: +86 13061808058

Skype: lookpolymers

Address: United North Road 215, Fengxian District, Shanghai City, China