

## A. Schulman POLYBATCH™ Yellow 20232U Concentrate Based In LLDPE

Category: Other Engineering Material, Additive/Filler for Polymer, Polymer, Thermoplastic, Polyethylene (PE), LLDPE

## **Material Notes:**

DescriptionPOLYBATCH® 20232U is a yellow color concentrate containing an optimized blend of color and UV stabilizer based in LLDPE.

This concentrate was designed to provide color and UV stability in polyolefin plastic lumber or injection molding applications.

POLYBATCH® 20232U is typically recommended for use at 4% addition levels. Information provided by A. Schulman.

## Order this product through the following link:

http://www.lookpolymers.com/polymer\_A-Schulman-POLYBATCH-Yellow-20232U-Concentrate-Based-In-LLDPE.php

| Physical Properties | Metric                               | English                              | Comments   |
|---------------------|--------------------------------------|--------------------------------------|------------|
| Specific Gravity    | 1.75 g/cc                            | 1.75 g/cc                            | ASTM D792  |
| Melt Flow           | 20 g/10 min                          | 20 g/10 min                          | ASTM D1238 |
|                     | @Load 2.16 kg,<br>Temperature 190 °C | @Load 4.76 lb,<br>Temperature 374 °F |            |
| Ash                 | 59 %                                 | 59 %                                 |            |

| Descriptive Properties | Value | Comments       |
|------------------------|-------|----------------|
| Moisture (max)         | 2000  | ppm, ASTM D789 |
| Pellet Count           | 55    | pellets/gram   |

## **Contact Songhan Plastic Technology Co.,Ltd.**

Website: www.lookpolymers.com Email: sales@lookpolymers.com

Tel: +86 021-51131842 Mobile: +86 13061808058

Skype: lookpolymers

Address: United North Road 215, Fengxian District, Shanghai City, China