

## Abatron 8509-4 A/B Carbon-Filled Electrically Conductive Epoxy Compound

Category : Polymer , Adhesive , Thermoset , Epoxy , Epoxy, Electrically Conductive

### Material Notes:

8509-4 A/B is a solventless carbon-epoxy system used as an adhesive and silk-screening material with anti-static and other lower-conductivity requirements.

Order this product through the following link:

[http://www.lookpolymers.com/polymer\\_Abatron-8509-4-AB-Carbon-Filled-Electrically-Conductive-Epoxy-Compound.php](http://www.lookpolymers.com/polymer_Abatron-8509-4-AB-Carbon-Filled-Electrically-Conductive-Epoxy-Compound.php)

Physical Properties	Metric	English	Comments
Solids Content	100 %	100 %	

Thermal Properties	Metric	English	Comments
Maximum Service Temperature, Air	50.0 °C	122 °F	

Component Elements Properties	Metric	English	Comments
Carbon, C	6.8 %	6.8 %	of vehicle

Electrical Properties	Metric	English	Comments
Surface Resistivity per Square	<= 300000 ohm	<= 300000 ohm	

Processing Properties	Metric	English	Comments
Cure Time	30.0 - 180 min	0.500 - 3.00 hour	Optional
	@Temperature 50.0 - 100 °C	@Temperature 122 - 212 °F	
Pot Life	>= 1440 min	>= 24.0 hour	
	@Temperature 22.0 - 30.0 °C	@Temperature 71.6 - 86.0 °F	

Descriptive Properties	Value	Comments
Color	Black	
Parts by Weight (pbw)	100	Part A Resin
	50	Part B Hardener
Viscosity	High	

## **Contact Songhan Plastic Technology Co.,Ltd.**

**Website : [www.lookpolymers.com](http://www.lookpolymers.com)**

**Email : [sales@lookpolymers.com](mailto:sales@lookpolymers.com)**

**Tel : +86 021-51131842**

**Mobile : +86 13061808058**

**Skype : lookpolymers**

**Address : United North Road 215,Fengxian District, Shanghai City,China**