

Aptek DI-STRATE 1503 Microwave/RF Foam Substrate

Category: Other Engineering Material, Composite Core Material, Polymer, Thermoset

Material Notes:

DI-STRATE™ Tiles are fully-crosslinked, low density, composite foam substrates which exhibit a low characteristics in the microwave frequency range. Uses: MicrowaveInformation provided by Aptek Laboratories, Inc.

Order this product through the following link:

http://www.lookpolymers.com/polymer_Aptek-DI-STRATE-1503-MicrowaveRF-Foam-Substrate.php

| Physical Properties | Metric | English | Comments |
|---------------------|------------|---------------|----------|
| Density | 0.800 g/cc | 0.0289 lb/in³ | Foam |

| Mechanical Properties | Metric | English | Comments |
|----------------------------|----------|----------|----------|
| Hardness, Shore D | 40 | 40 | |
| Compressive Yield Strength | 15.2 MPa | 2200 psi | |

| Electrical Properties | Metric | English | Comments |
|-----------------------|--------------------------|--------------------------|----------|
| Dielectric Constant | 1.95 | 1.95 | |
| | @Frequency 2.00e+9 Hz | @Frequency 2.00e+9 Hz | |
| Dissipation Factor | 0.0040 | 0.0040 | |
| | @Frequency 2.00e+9 Hz | @Frequency 2.00e+9 Hz | |

Contact Songhan Plastic Technology Co.,Ltd.

Website: www.lookpolymers.com Email: sales@lookpolymers.com

Tel: +86 021-51131842 Mobile: +86 13061808058

Skype: lookpolymers

Address: United North Road 215, Fengxian District, Shanghai City, China