

## Arkema Group Lacovyl® GB 1150 PVC, Pipe Grade

Category : Polymer , Thermoplastic , Vinyl (PVC) , PVC, Rigid Grade

### Material Notes:

LACOVYL GB 1150 is a vinyl chloride homopolymer produced by the Elf Atochem's mass polymerization process. Its characteristics are : Viscosity index (ISO 1628-2):114 ml/g,(K value:67). Apparent density (ISO 60):0.57 g/ml. rapid fusion giving improved mechanical properties. \* RECOMMENDED APPLICATIONS All types of rigid pipes, particularly for water supply pipes. ISO data provided by the manufacturer, Arkema.

Order this product through the following link:

[http://www.lookpolymers.com/polymer\\_Arkema-Group-Lacovyl-GB-1150-PVC-Pipe-Grade.php](http://www.lookpolymers.com/polymer_Arkema-Group-Lacovyl-GB-1150-PVC-Pipe-Grade.php)

Physical Properties	Metric	English	Comments
Apparent Bulk Density	0.580 g/cc	0.0210 lb/in <sup>3</sup>	
Viscosity Test	114 cm <sup>3</sup> /g	114 cm <sup>3</sup> /g	Viscosity Number

## Contact Songhan Plastic Technology Co.,Ltd.

Website : [www.lookpolymers.com](http://www.lookpolymers.com)

Email : [sales@lookpolymers.com](mailto:sales@lookpolymers.com)

Tel : +86 021-51131842

Mobile : +86 13061808058

Skype : lookpolymers

Address : United North Road 215,Fengxian District, Shanghai City,China