

## BASF Butane-2,3-diol

Category : Fluid

**Material Notes:**

Formula: C4H10N2CAS: 513-85-9Description: 2,3-Butandiol is a colorless to yellowish liquid, and is odorless. It is partly miscible with water.Synonyms: 2,3-ButandiolApplications: Intermediate used in the production of Crop protection agents and Also used as a Additive for polymersInformation provided by BASF

Order this product through the following link:

[http://www.lookpolymers.com/polymer\\_BASF-Butane-23-diol.php](http://www.lookpolymers.com/polymer_BASF-Butane-23-diol.php)

Physical Properties	Metric	English	Comments
Density	1.003 g/cc	0.03624 lb/in <sup>3</sup>	
Molecular Weight	90.1 g/mol	90.1 g/mol	

Thermal Properties	Metric	English	Comments
Melting Point	20.0 °C	68.0 °F	
Boiling Point	183 - 184 °C	361 - 363 °F	
Flash Point	96.0 °C	205 °F	

Processing Properties	Metric	English	Comments
Moisture Content	<= 0.50 %	<= 0.50 %	DIN 51 777

Descriptive Properties	Value	Comments
Assay	>97%	
Ignition Temperature	395°C	

## Contact Songhan Plastic Technology Co.,Ltd.

Website : [www.lookpolymers.com](http://www.lookpolymers.com)Email : [sales@lookpolymers.com](mailto:sales@lookpolymers.com)

Tel : +86 021-51131842

Mobile : +86 13061808058

Skype : lookpolymers

Address : United North Road 215,Fengxian District, Shanghai City,China