

## BASF Sicotan® Yellow L 1912 Color Additive

Category : Other Engineering Material , Additive/Filler for Polymer

### Material Notes:

Description: Mixed-phase pigment with maximum fastness properties. Suitable for all coatings systems  
 Chemical Structure: Cr/Sb/Ti-Oxide  
 Suitable for: Baking System, Waterborn systems, Acrylic-isocyanate systems, Acid curing system, Amine curing system and Airdrying systems.  
 Information provided by BASF

Order this product through the following link:

[http://www.lookpolymers.com/polymer\\_BASF-Sicotan-Yellow-L-1912-Color-Additive.php](http://www.lookpolymers.com/polymer_BASF-Sicotan-Yellow-L-1912-Color-Additive.php)

Physical Properties	Metric	English	Comments
Density	4.50 g/cc	0.163 lb/in <sup>3</sup>	
pH	8.0 - 10	8.0 - 10	
Specific Surface Area	6.0 m <sup>2</sup> /g	6.0 m <sup>2</sup> /g	

Thermal Properties	Metric	English	Comments
Maximum Service Temperature, Air	500 °C	932 °F	

Electrical Properties	Metric	English	Comments
Electrical Resistivity	>= 2500 ohm-cm	>= 2500 ohm-cm	

Descriptive Properties	Value	Comments
Chemical Fastness (months)	Butylacetate	5
	Ethanol	5
	HCL 2%	5
	Methyl ethyl ketone	5
	Mineral spirits	5
	NaOH 2%	5
	Solvenon™PM	5
	Xylene	5
Color	Yellow	
Fastness to Overcoating	5	

## **Contact Songhan Plastic Technology Co.,Ltd.**

**Website : [www.lookpolymers.com](http://www.lookpolymers.com)**

**Email : [sales@lookpolymers.com](mailto:sales@lookpolymers.com)**

**Tel : +86 021-51131842**

**Mobile : +86 13061808058**

**Skype : lookpolymers**

**Address : United North Road 215,Fengxian District, Shanghai City,China**