

## **BASF Styropor® BF 222 EPS**

Category: Polymer, Thermoplastic, Polystyrene (PS), Expanded Polystyrene (EPS)

## **Material Notes:**

Description: Modified expandable polystyrene (EPS) containing approximately 6 wt% pentane as the blowing agent. Styropor BF products are compatible with many anti-stat, mineral oil and color additives during processing. Intended uses: Block molding applications, low and high densities requiring excellent fusion or with regrind. Information provided by BASF

## Order this product through the following link:

http://www.lookpolymers.com/polymer\_BASF-Styropor-BF-222-EPS.php

Physical Properties	Metric	English	Comments
Bulk Density	0.640 g/cc	0.0231 lb/in <sup>3</sup>	
Density	0.0140 - 0.0480 g/cc	0.000506 - 0.00173 lb/in³	
Bead Size	0.850 - 1.70 mm	0.0335 - 0.0669 in	>97%

Processing Properties	Metric	English	Comments
Moisture Content	<= 1.2 %	<= 1.2 %	

Descriptive Properties	Value	Comments
Commercial Status	North America	
Pentane Content	5.7 - 6.4%	

## **Contact Songhan Plastic Technology Co.,Ltd.**

Website: www.lookpolymers.com Email: sales@lookpolymers.com

Tel: +86 021-51131842 Mobile: +86 13061808058 Skype: lookpolymers

Address: United North Road 215, Fengxian District, Shanghai City, China