

BASF Styropor® BFL 327 EPS

Category : Polymer , Thermoplastic , Polystyrene (PS) , Expanded Polystyrene (EPS)

Material Notes:

Description: Modified expandable polystyrene (EPS) containing approximately 3.75 – 3.95 wt% pentane as the blowing agent. Styropor BFL products are compatible with many anti-stat, mineral oil and color additives during processing. Intended uses: Shape molding applications requiring modified material or high density block molding applications with excellent surface cut appearance. Information provided by BASF

Order this product through the following link:

http://www.lookpolymers.com/polymer_BASF-Styropor-BFL-327-EPS.php

Physical Properties	Metric	English	Comments
Bulk Density	0.640 g/cc	0.0231 lb/in ³	
Density	0.0180 - 0.800 g/cc	0.000650 - 0.0289 lb/in ³	
Bead Size	0.600 - 1.20 mm	0.0236 - 0.0472 in	>97%

Processing Properties	Metric	English	Comments
Moisture Content	<= 1.2 %	<= 1.2 %	

Descriptive Properties	Value	Comments
Commercial Status	North America	
Pentane Content	3.75 - 3.95%	

Contact Songhan Plastic Technology Co.,Ltd.

Website : www.lookpolymers.com

Email : sales@lookpolymers.com

Tel : +86 021-51131842

Mobile : +86 13061808058

Skype : lookpolymers

Address : United North Road 215, Fengxian District, Shanghai City, China