

BASF Styropor® KF 362M EPS

Category : Polymer , Thermoplastic , Polystyrene (PS) , Expanded Polystyrene (EPS)

Material Notes:

Description: Expandable polystyrene (EPS) with pentane as a blowing agent. For the production of expanded foam. Block having bulk densities of 16-30 kg/m³ and fire characteristics in conformity with: DIN 4102-B1, KSM 3008 (Korea standard), GB/T 2406 (China Standard), UL94. Information provided by BASF

Order this product through the following link:

http://www.lookpolymers.com/polymer_BASF-Styropor-KF-362M-EPS.php

Physical Properties	Metric	English	Comments
Bulk Density	0.0160 - 0.0300 g/cc	0.000578 - 0.00108 lb/in ³	
Bead Size	0.810 - 0.980 mm	0.0319 - 0.0386 in	

Processing Properties	Metric	English	Comments
Moisture Content	<= 1.0 %	<= 1.0 %	

Descriptive Properties	Value	Comments
Commercial Status	North America	
Sieve Analysis	<0.59 mm	max 2%
	> 1.19 mm	max 1%
	1.19 - 0.7 mm	min 97%

Contact Songhan Plastic Technology Co.,Ltd.

Website : www.lookpolymers.com

Email : sales@lookpolymers.com

Tel : +86 021-51131842

Mobile : +86 13061808058

Skype : lookpolymers

Address : United North Road 215,Fengxian District, Shanghai City,China