

## **Borealis BorSafe™ HE3495-LS HDPE Compound**

Category: Polymer, Thermoplastic, Polyethylene (PE), HDPE

## **Material Notes:**

BorSafe™ HE3495-LS is a bimodal polyethylene compound produced by the advanced Borstar® technology. It's fully stabilized against thermal degradation and the die build-up during extrusion is minimized. Furthermore, it has a highly covered pigment that gives a bright colored stripe even when extruded as a thin layer on a black pipe. It also contains UV-stabilizer. Applications: BorSafe™ HE3495-LS recommended for the production of identifying stripes of black pipes produced from BorSafe™ HE3490-LSInformation provided by Borealis AG

Order this product through the following link:

http://www.lookpolymers.com/polymer\_Borealis-BorSafe-HE3495-LS-HDPE-Compound.php

Physical Properties	Metric	English	Comments
Density	0.953 g/cc	0.0344 lb/in³	ISO 1183
Melt Flow	0.30 g/10 min	0.30 g/10 min	ISO 1133
	@Load 5.00 kg, Temperature 190 °C	@Load 11.0 lb, Temperature 374 °F	

## **Contact Songhan Plastic Technology Co.,Ltd.**

Website: www.lookpolymers.com Email: sales@lookpolymers.com

Tel: +86 021-51131842 Mobile: +86 13061808058

Skype: lookpolymers

Address: United North Road 215, Fengxian District, Shanghai City, China