

Braskem F350HC2 High Crystallinity Homopolymer Polypropylene

Category : Polymer , Thermoplastic , Polypropylene (PP)

Material Notes:

Description: Very High Flexural Modulus Applications: Suggested Uses Include Compounding, Automotive, Appliances This resin meets the requirements for olefin polymers as defined in 21 CFR, section 177.1520 issued by the Food and Drug Administration. The additives present are covered in appropriate regulation by FDA. Information provided by Braskem

Order this product through the following link:

http://www.lookpolymers.com/polymer_Braskem-F350HC2-High-Crystallinity-Homopolymer-Polypropylene.php

Physical Properties	Metric	English	Comments
Melt Flow	35 g/10 min @Load 2.16 kg, Temperature 230 °C	35 g/10 min @Load 4.76 lb, Temperature 446 °F	ASTM D1238

Mechanical Properties	Metric	English	Comments
Tensile Strength	41.4 MPa	6000 psi	2 in/min; ASTM D638
Elongation at Yield	5.0 %	5.0 %	2 in/min; ASTM D638
Flexural Modulus	1.93 GPa	280 ksi	0.05 in/min, 1% secant; ASTM D-790A
Izod Impact, Notched	0.214 J/cm	0.400 ft-lb/in	ASTM D256A

Contact Songhan Plastic Technology Co.,Ltd.

Website : www.lookpolymers.com

Email : sales@lookpolymers.com

Tel : +86 021-51131842

Mobile : +86 13061808058

Skype : lookpolymers

Address : United North Road 215,Fengxian District, Shanghai City,China