

## Carborundum CarboTherm™ CTL40 Boron Nitride Powder

Category : Ceramic , Nitride , Other Engineering Material , Additive/Filler for Polymer

### Material Notes:

Boron Nitride powders have high thermal conductivity, low dielectric loss, and low thermal expansion. They are non-abrading to electronic components, lubricious, non-toxic, and retain their dielectric properties at elevated temperatures. Applications include: use in potting compounds, encapsulants, epoxies, silicone oils and resins, and thermoplastics; use as a processing aid; use as a nucleating and foaming agent. Carborundum's CarboTherm™ powders can be custom blended to yield specific properties. Particle size and distribution can be tailored to give optimum fill and flowability while still maintaining high purity and consistency. CTL40 particles are low density agglomerates. Data provided by the manufacturer, Carborundum Corporation.

Order this product through the following link:

[http://www.lookpolymers.com/polymer\\_Carborundum-CarboTherm-CTL40-Boron-Nitride-Powder.php](http://www.lookpolymers.com/polymer_Carborundum-CarboTherm-CTL40-Boron-Nitride-Powder.php)

Physical Properties	Metric	English	Comments
Apparent Bulk Density	0.400 g/cc	0.0145 lb/in <sup>3</sup>	Tap density

Component Elements Properties	Metric	English	Comments
B2O3	0.040 %	0.040 %	
BN	99.6 %	99.6 %	
O2	0.30 %	0.30 %	includes the oxygen in B2O3

## Contact Songhan Plastic Technology Co.,Ltd.

Website : [www.lookpolymers.com](http://www.lookpolymers.com)

Email : [sales@lookpolymers.com](mailto:sales@lookpolymers.com)

Tel : +86 021-51131842

Mobile : +86 13061808058

Skype : lookpolymers

Address : United North Road 215,Fengxian District, Shanghai City,China