

ChevronTexaco Havoline® SAE 10W-30 Motor Oil

Category: Fluid, Lubricant

Material Notes:

All grades of Havoline Motor Oils are formulated with high quality base stocks, a shear-stable viscosity index improver, and contain detergent, dispersant, wear control, antioxidant, corrosion inhibitor, and foam suppressant additives. Havoline Motor Oils are recommended for all four-stroke gasoline engines used in passenger cars, light trucks, powerboats, motorcycles, and other mobile and stationary equipment. They are excellent for high-revving engines in small cars and light trucks. All grades are specially formulated for use in both new and high-mileage cars, and in turbocharged as well as normally aspirated engines. SAE 10W-30 is recommended for many older vehicles and a few late model cars and trucks, often those with larger 6-cylinder and V-8 and/or high performance engines. SAE 10W-30 provides improved fuel economy relative to heavier viscosity grades. Typical test data are average values only. Minor variations which do not affect product performance are to be expected in normal manufacturing. CPS Number: 222190; MSDS Number: 8599

Order this product through the following link:

http://www.lookpolymers.com/polymer_ChevronTexaco-Havoline-SAE-10W-30-Motor-Oil.php

Physical Properties	Metric	English	Comments	
API Gravity	30.4 °	30.4°		
Viscosity	5800 cP	5800 cP	Cold Crank	
	@Temperature -25.0 °C	@Temperature -13.0 °F		
Viscosity Measurement	135	135	Viscosity Index	
Kinematic Viscosity at 40°C (104°F)	73.5 cSt	73.5 cSt		
Kinematic Viscosity at 100°C (212°F)	10.8 cSt	10.8 cSt		
Ash	0.90 %	0.90 %	Sulfated Ash	

Thermal Properties	Metric	English	Comments
Pour Point	-35.0 °C	-31.0 °F	
Flash Point	232 °C	450 °F	

Component Elements Properties	Metric	English	Comments	
Phosphorous, P	0.094 %	0.094 %		
Zinc, Zn	0.103 %	0.103 %		

Chemical Properties	Metric	English	Comments
Total Base Number	7.6	7.6	ASTM D2896



Contact Songhan Plastic Technology Co.,Ltd.

Website: www.lookpolymers.com Email: sales@lookpolymers.com

Tel: +86 021-51131842 Mobile: +86 13061808058

Skype: lookpolymers

Address: United North Road 215, Fengxian District, Shanghai City, China