

## ChevronTexaco Mechanism LPS® ISO 100 Hydraulic Oil

Category: Fluid, Lubricant

## **Material Notes:**

Chevron Mechanism LPS Hydraulic Oils are highly refined, paraffinic oils containing oxidation and rust inhibitors, and special antiwear additives to extend the life of hydraulic pumps and motor parts in heavy duty service. Applications Chevron Mechanism LPS Hydraulic Oils are high performance hydraulic oils recommended for use in all circulating oil systems providing power for hydraulics or hydraulic motors in heavy duty service. Chevron Mechanism LPS hydraulic Oils have Vickers 35VQ25 vane pump approval and meet the requirements of:DIN 51 524 (HVLP) gear testFZG test load stage 10 (ISO 32, 46, 68) which demonstrates outstanding pump protection under the most severe conditions. Do not use in high pressure systems in te vicinity of flames, sparks and hot surfaces. Use only in well-ventilated areas keep container closed.

## Order this product through the following link:

http://www.lookpolymers.com/polymer\_ChevronTexaco-Mechanism-LPS-ISO-100-Hydraulic-Oil.php

Physical Properties	Metric	English	Comments
API Gravity	30.9 °	30.9 °	
Viscosity Measurement	143	143	Viscosity Index; ASTM D2270
Saybolt Viscosity at 100°F	488 SUS	488 SUS	
Saybolt Viscosity at 210°F	73.4 SUS	73.4 SUS	
Kinematic Viscosity at 40°C (104°F)	95 cSt	95 cSt	ASTM D445
Kinematic Viscosity at 100°C (212°F)	13.5 cSt	13.5 cSt	ASTM D445

Thermal Properties	Metric	English	Comments
Pour Point	-39.0 °C	-38.2 °F	ASTM D97
Flash Point	232 °C	450 °F	ASTM D92

Component Elements Properties	Metric	English	Comments	
Zinc, Zn	0.042 %	0.042 %		

## Contact Songhan Plastic Technology Co.,Ltd.

Website: www.lookpolymers.com Email: sales@lookpolymers.com

Tel: +86 021-51131842 Mobile: +86 13061808058

Skype: lookpolymers

Address: United North Road 215, Fengxian District, Shanghai City, China

