

## ChevronTexaco Superla® 10 White Oil

Category : Fluid , Lubricant , White Mineral Oil (WMO)

**Material Notes:**

**Features**Chevron Superla White Oils are colorless, odorless, tasteless mixtures of saturated paraffinic and naphthenic hydrocarbons that span a viscosity range of 50-625 SUS at 100°F. These nearly chemically inert oils are virtually free of nitrogen, sulfur, oxygen and aromatic hydrocarbons. Chevron Superla White Oils contain Vitamin E, a natural antioxidant, to protect quality during handling and storage. They are clear, bright, and free of solids and water.

**Applications**Chevron Superla White Oils find wide application:where direct food contact may occurwhere prolonged contact with human skin is necessarywhere odor and staining must be minimizedwhere outstanding long service under adverse conditions is requiredChevron Superla White Oils must be stored in approved containers to prevent contamination that could jeopardize their food grade status.

Order this product through the following link:

[http://www.lookpolymers.com/polymer\\_ChevronTexaco-Superla-10-White-Oil.php](http://www.lookpolymers.com/polymer_ChevronTexaco-Superla-10-White-Oil.php)

Physical Properties	Metric	English	Comments
Specific Gravity	0.853 g/cc	0.853 g/cc	
API Gravity	33.5 °	33.5 °	
Saybolt Viscosity at 100°F	96 SUS	96 SUS	
Kinematic Viscosity at 40°C (104°F)	19 cSt	19 cSt	ASTM D445

Thermal Properties	Metric	English	Comments
Pour Point	-12.0 °C	10.4 °F	ASTM D97
Flash Point	188 °C	370 °F	ASTM D92

Descriptive Properties	Value	Comments
Color	+30 minimum, Saybolt	

## Contact Songhan Plastic Technology Co.,Ltd.

Website : www.lookpolymers.com

Email : sales@lookpolymers.com

Tel : +86 021-51131842

Mobile : +86 13061808058

Skype : lookpolymers

Address : United North Road 215,Fengxian District, Shanghai City,China