

## ChevronTexaco Supreme SAE 10W-30 Synthetic Blend Motor Oil

Category : Fluid , Lubricant

**Material Notes:**

**Features**Chevron Supreme Synthetic Blend Motor Oil is premium quality automotive engine oil. It is formulated with a combination of synthetic and premium quality conventional base oils and specially selected additives. Chevron Supreme Synthetic Blend Motor Oil is specially formulated to provide extra protection against harmful engine deposits, while providing excellent oxidation protection and volatility control at extreme temperatures. **Applications**Chevron Supreme Synthetic Blend Motor Oil is recommended for all four-stroke gasoline engines used in passenger cars, light trucks, sports utility vehicles, powerboats, motorcycles, and other mobile and stationary equipment where an API SL or previous API "S" category oil is recommended. It is excellent for high-revving engines in new and higher-mileage small cars and light trucks. It was specially formulated for use in turbocharged engines.

Order this product through the following link:

[http://www.lookpolymers.com/polymer\\_ChevronTexaco-Supreme-SAE-10W-30-Synthetic-Blend-Motor-Oil.php](http://www.lookpolymers.com/polymer_ChevronTexaco-Supreme-SAE-10W-30-Synthetic-Blend-Motor-Oil.php)

Physical Properties	Metric	English	Comments
API Gravity	30.4 °	30.4 °	
Viscosity	5800 cP @Temperature -25.0 °C	5800 cP @Temperature -13.0 °F	Cold Crank
Viscosity Measurement	139	139	Viscosity Index; ASTM D2270
Kinematic Viscosity at 40°C (104°F)	71.9 cSt	71.9 cSt	ASTM D445
Kinematic Viscosity at 100°C (212°F)	10.8 cSt	10.8 cSt	ASTM D445
Ash	0.90 %	0.90 %	Sulfated Ash wt%

Thermal Properties	Metric	English	Comments
Pour Point	-34.0 °C	-29.2 °F	ASTM D97
Flash Point	232 °C	450 °F	ASTM D92

Component Elements Properties	Metric	English	Comments
Phosphorous, P	0.094 %	0.094 %	
Zinc, Zn	0.103 %	0.103 %	

Chemical Properties	Metric	English	Comments
Total Base Number	7.5	7.5	ASTM D2896

**Contact Songhan Plastic Technology Co.,Ltd.**

**Website : [www.lookpolymers.com](http://www.lookpolymers.com)**

**Email : [sales@lookpolymers.com](mailto:sales@lookpolymers.com)**

**Tel : +86 021-51131842**

**Mobile : +86 13061808058**

**Skype : lookpolymers**

**Address : United North Road 215,Fengxian District, Shanghai City,China**