

Covestro Makrolon® KU 1-1242 Polycarbonate, High Impact

Category : Polymer , Thermoplastic , Polycarbonate (PC) , Polycarbonate, Impact Modified

Material Notes:

High viscosity, impact modified grade with good toughness at low temperatures (light colors only). Information provided by Bayer. As of 1 September 2015, Bayer MaterialScience was separated from Bayer AG and officially adopted its new name – Covestro.

Order this product through the following link:

http://www.lookpolymers.com/polymer_Covestro-Makrolon-KU-1-1242-Polycarbonate-High-Impact.php

Physical Properties	Metric	English	Comments
Density	1.20 g/cc	0.0434 lb/in ³	
Melt Flow	6.0 g/10 min @Load 1.20 kg, Temperature 300 °C	6.0 g/10 min @Load 2.65 lb, Temperature 572 °F	

Mechanical Properties	Metric	English	Comments
Tensile Strength, Yield	60.0 MPa	8700 psi	
Elongation at Break	>= 50 %	>= 50 %	Nominal
Elongation at Yield	6.0 %	6.0 %	
Tensile Modulus	2.20 GPa	319 ksi	
Charpy Impact Unnotched	NB	NB	

Thermal Properties	Metric	English	Comments
Vicat Softening Point	148 °C	298 °F	

Contact Songhan Plastic Technology Co.,Ltd.

Website : www.lookpolymers.com

Email : sales@lookpolymers.com

Tel : +86 021-51131842

Mobile : +86 13061808058

Skype : lookpolymers

Address : United North Road 215, Fengxian District, Shanghai City, China