

Dielectric Polymers NT-988-2 Overlap Splice Tape (discontinued **)

Category: Polymer, Adhesive, Tape, Thermoset, Acrylic/Cyanoacrylate Adhesive

Material Notes:

Acrylic copolymer adhesive with silicone treated release paper backing. Features: Chemical resistant Good conformability Plasticizer migration resistantExcellent adhesion to low surface energy substratesHigh initial tack and shear strengthFiber reinforced for easy liner removal Applications: Bonding a wide variety of substrates including low surface energy material and for flying splice applications. Information provided by Dielectric Polymers.

Order this product through the following link:

http://www.lookpolymers.com/polymer_Dielectric-Polymers-NT-988-2-Overlap-Splice-Tape-nbspdiscontinued-.php

Physical Properties	Metric	English	Comments
Thickness	50.8 microns	2.00 mil	Adhesive
	88.9 microns	3.50 mil	Backing

Mechanical Properties	Metric	English	Comments
Peel Strength	0.964 kN/m	5.50 pli	Adhesion

Thermal Properties	Metric	English	Comments
Maximum Service Temperature, Air	21.1 °C	70.0 °F	
	107 °C	225 °F	Shear Adhesive Failure (cohesive failure)

Descriptive Properties	Value	Comments
Color	Translucent	
Tensile Strength	Hold 2 psi @ 75°F (24°C), PET/s.s.:24 hours	

Contact Songhan Plastic Technology Co.,Ltd.

Website: www.lookpolymers.com Email: sales@lookpolymers.com

Tel: +86 021-51131842 Mobile: +86 13061808058 Skype: lookpolymers

Address: United North Road 215, Fengxian District, Shanghai City, China