

Dow Corning SYL-OFF® 7138 HIGH SPEED CROSSLINKER

Category: Other Engineering Material, Additive/Filler for Polymer, Polymer, Thermoset, Silicone

Material Notes:

Syl-Off® 7138 High Speed Crosslinker is a 100% active solids crosslinker additive. Recommended for high speed coating conditions where generation of silicone mist is an issue, and Syl-Off® 7678 Crosslinker is used. Information provided by Dow Corning

Order this product through the following link:

http://www.lookpolymers.com/polymer_Dow-Corning-SYL-OFF-7138-HIGH-SPEED-CROSSLINKER.php

Physical Properties	Metric	English	Comments
Specific Gravity	0.975 g/cc	0.975 g/cc	
	@Temperature 25.0 °C	@Temperature 77.0 °F	
Solids Content	100 %	100 %	
Viscosity	700 cP	700 cP	

Thermal Properties	Metric	English	Comments
Flash Point	83.0 °C	181 °F	closed cup

Processing Properties	Metric	English	Comments
Shelf Life	12.0 Month	12.0 Month	

Descriptive Properties	Value	Comments
Appearance	colorless liquid	

Contact Songhan Plastic Technology Co.,Ltd.

Website: www.lookpolymers.com Email: sales@lookpolymers.com

Tel: +86 021-51131842 Mobile: +86 13061808058

Skype: lookpolymers

Address: United North Road 215, Fengxian District, Shanghai City, China